



State of Connecticut

COMMISSION ON FIRE PREVENTION AND CONTROL

# Firefighter I Evaluation Skill Sheet



SS#	Skill Sheet Title	NFPA 1001 Objective Addressed 2008 Edition
5.1.1.2A	Donning Personal Protective Clothing	5.2.1
5.1.1.2B	Tie Knots and Hoist Tools	5.2.1
5.1.1.2C	Knot Selection and Tying	5.2.1
5.1.1.2D	Securing with Rope	5.2.1
5.2.1A	Emergency Telephone Procedures	5.2.1, 5.2.1(A)(B)
5.2.1B	Emergency Walk-Ins	5.2.1, 5.2.1(A)(B)
5.2.1C	Emergency Telephone/Radio/Fire Alarm Box Procedures	5.2.1, 5.2.1(A)(B)
5.2.2A	Fire Department Telephone Skills (non-emergency)	5.2.2, 5.2.2(A)(B)
5.2.3A	Radio Procedures for Fire Ground Size-Up	5.2.3, 5.2.3(A)(B)
5.3.1A.1	SCBA – Replacement of Cylinder (one person)	5.3.1, 5.3.1(A)(B)
5.3.1A.2	SCBA – Replacement of Cylinder (two person)	5.3.1, 5.3.1(A)(B)
5.3.1B	Donning SCBA	5.3.1, 5.3.1(A)(B)
5.3.1E	SCBA – Ready for Immediate Use	5.3.1, 5.3.1(A)(B)
5.3.1F	Use of SCBA – Restricted Passage (vertical egress)	5.3.1, 5.3.1(A)(B), 5.3.9, 5.3.9(A)(B)
5.3.1F.1	Use of SCBA – Restricted Passage (horizontal egress)	5.3.1, 5.3.1(A)(B), 5.3.9, 5.3.9(A)(B)
5.3.1G	SCBA Failure Procedures	5.3.1, 5.3.1(A)(B)
5.3.2A	Safety – Mounting, Riding, Dismounting Apparatus	5.3.2, 5.3.2(A)(B), 5.3.3, 5.3.3(A)(B)
5.3.3A	Deployment – Scene Control Devices	5.3.3, 5.3.3(A)(B), 5.3.2, 5.3.2(A)(B)
5.3.4A	Identify and Carry Tools	5.3.4, 5.3.4(A)(B)
5.3.4B	Forcible Entry – Door	5.3.4, 5.3.4(A)(B)
5.3.4C	Window Opening (non-destructive)	5.3.4, 5.3.5(A)(B)
5.3.4D	Forcible Entry – Plaster or Gypsum Partition Walls	5.3.4, 5.3.4(A)(B)
5.3.5A.1	Trapped/Disoriented with Hose	5.3.5, 5.3.5(A)(B)
5.3.5A.2	Trapped/Disoriented without Hose	5.3.5, 5.3.5(A)(B)
5.3.6A	24' Extension Ladder – Carry/Raise/Extend (one person)	5.3.6, 5.3.6(A)(B)
5.3.6B	24' Extension Ladder – Lower/Removal (one person)	5.3.6, 5.3.6(A)(B)
5.3.6C	24'/28' Extension Ladder – Carry/Raise/Extend (two person)	5.3.6, 5.3.6(A)(B)
5.3.6D	24'/28' Extension Ladder – Lowering/Removal (two person)	5.3.6, 5.3.6(A)(B)
5.3.6E	14'/20' Single Ladder – Carry/Raise (one person)	5.3.6, 5.3.6(A)(B)
5.3.6F	14'/20' Single Ladder – Lower Removal (one person)	5.3.6, 5.3.6(A)(B)
5.3.6G	35' Extension Ladder – Carry/Raise/Extend (three person)	5.3.6, 5.3.6(A)(B)
5.3.6H	35' Extension Ladder – Lowering/Removal (three person)	5.3.6, 5.3.6(A)(B)
5.3.7A	Fire Suppression – Vehicle Fires	5.3.7, 5.3.7(A)(B)
5.3.8A	Fire Suppression – Piles/Stacks of Class A Combustibles	5.3.8, 5.3.8(A)(B)
5.3.8B	Fire Suppression – Dumpster/Storage Container Fires	5.3.8, 5.3.8(A)(B), 5.3.10, 5.3.10(A)(B)
5.3.8C	Deploy Master Stream Device (two person)	5.3.8, 5.3.8(A)(B), 5.3.10, 5.3.10(A)(B)
5.3.9B	Rescue with SCBA Obscured Visibility	5.3.9, 5.3.9(A)(B), 5.3.1, 5.3.1(A)(B)
5.3.9C	Removal Over Ladder (conscious person)	5.3.9, 5.3.9(A)(B), 5.3.6, 5.3.6(A)(B)
5.3.9D	Removal Over Ladder (unconscious person)	5.3.9, 5.3.9(A)(B), 5.3.6, 5.3.6(A)(B)
5.3.9F	Conduct a Primary Search	5.3.9, 5.3.9(A)(B)
5.3.9F.1	Conduct a Secondary Search	5.3.9, 5.3.9(A)(B)
5.3.9G	Drags and Carries	5.3.9, 5.3.9(A)(B)
5.3.10A.1	Fire Suppression – Interior Structure, Grade Level	5.3.10, 5.3.10(A)(B), 5.3.8, 5.3.8(A)(B)
5.3.10A.2	Fire Suppression – Interior Structure, Above Grade Level	5.3.10, 5.3.10(A)(B), 5.3.8, 5.3.8(A)(B)
5.3.10A.3	Fire Suppression – Interior Structure, Below Grade Level	5.3.10, 5.3.10(A)(B), 5.3.8, 5.3.8(A)(B)
5.3.10B	Hose Deployment	5.3.10, 5.3.10(A)(B), 5.3.8, 5.3.8(A)(B)
5.3.10C	Hoseline Advancement	5.3.10, 5.3.10(A)(B)
5.3.10D	Charged Hoseline Operation from Ground Ladder (2person)	5.3.10, 5.3.10(A)(B)
5.3.10E	Use of Nozzle	5.3.10, 5.3.10(A)(B), 5.3.13, 5.3.13(A)(B)
5.3.10F	Replace Burst Section of Hose	5.3.10, 5.3.10(A)(B)
5.3.10G	Adding a Length of hose	5.3.10, 5.3.10(A)(B)



State of Connecticut

COMMISSION ON FIRE PREVENTION AND CONTROL

## Firefighter I Evaluation Skill Sheet



5.3.10H.1	Coupling and Uncoupling Hose (one person)	5.3.10, 5.3.10(A)(B)
5.3.10H.2	Coupling and Uncoupling Hose (two person)	5.3.10, 5.3.10(A)(B)
5.3.10J	Remove Hose from Upper Floors	5.3.10, 5.3.10(A)(B), 5.3.14, 5.3.14(A)(B)
5.3.10K	Remove hose from Building to Minimize Water Damage	5.3.10, 5.3.10(A)(B), 5.3.14, 5.3.14(A)(B)
5.3.11A	Working Safely from Ground Ladders	5.3.11, 5.3.11(A)(B), 5.3.6, 5.3.6(A)(B)
5.3.11B	Window Opening (destructive)	5.3.11, 5.3.11(A)(B), 5.3.6, 5.3.6(A)(B)
5.3.11C	Hydraulic Ventilation	5.3.11, 5.3.11(A)(B)
5.3.11D	Negative Pressure Ventilation	5.3.11, 5.3.11(A)(B)
5.3.11E	Positive Pressure Ventilation	5.3.11, 5.3.11(A)(B)
5.3.12A.1	Roof Ladder Deployment	5.3.12, 5.3.12(A)(B), 5.3.6, 5.3.6(A)(B)
5.3.12A.2	Roof Ladder – Lower/Removal (two person)	5.3.12, 5.3.12(A)(B), 5.3.6, 5.3.6(A)(B)
5.3.12B	Ladder Climb with tool	5.3.12, 5.3.12(A)(B), 5.3.11, 5.3.11(A)(B)
5.3.12C	Determining Roof Integrity	5.3.12, 5.3.12(A)(B)
5.3.12D.1	Roof Ventilation – Flat	5.3.12, 5.3.12(A)(B)
5.3.12D.2	Roof Ventilation – Pitched	5.3.12, 5.3.12(A)(B)
5.3.13A	Expose Hidden Fire	5.3.13, 5.3.13(A)(B), 5.3.10, 5.3.10(A)(B)
5.3.14A	Salvage Cover Deployment (two person)	5.3.14, 5.3.14(A)(B)
5.3.14C	Construction and use of Water Chute	5.3.14, 5.3.14(A)(B)
5.3.14F	Routing/Removal of Water and Debris (vertical) Upper Floors	5.3.14, 5.3.14(A)(B)
5.3.14G	Routing/Removal of Water and Debris (horizontal)	5.3.14, 5.3.14(A)(B)
5.3.14H	Routing/Removal of Water and Debris (below grade)	5.3.14, 5.3.14(A)(B)
5.3.14J	Closes up a Building	5.3.14, 5.3.14(A)(B)
5.3.14K	Separate and Remove Charred Material	5.3.14, 5.3.14(A)(B), 5.3.13, 5.3.13(A)(B)
5.3.14M	Stop Water Flow from Sprinkler	5.3.14, 5.3.14(A)(B)
5.3.15A	Drafting (static source) Four Person	5.3.15, 5.3.15(A)(B)
5.3.15B	Hydrant to Pumper Connection	5.3.15, 5.3.15(A)(B)
5.3.15C.1	Hydrant Connection (forward lay)	5.3.15, 5.3.15(A)(B)
5.3.15C.2	Hydrant Connection (reverse lay)	5.3.15, 5.3.15(A)(B)
5.3.15D	Sprinkler/Standpipe (siamese) FDC	5.3.15, 5.3.15(A)(B)
5.3.15E	Standpipe Operation	5.3.15, 5.3.15(A)(B)
5.3.16A	Extinguish Class A Fires	5.3.16, 5.3.16(A)(B)
5.3.16B	Extinguish Class B Fires	5.3.16, 5.3.16(A)(B)
5.3.16C	Extinguish Class C Fires	5.3.16, 5.3.16(A)(B)
5.3.17A	Safety Procedures for Lighting Equipment	5.3.17, 5.3.17(A)(B)
5.3.18A	Control Utility Service	5.3.18, 5.3.18(A)(B)
5.3.19A	Donning Ground Cover Personal Protective Equipment	5.3.19, 5.3.19(A)(B)
5.3.19B	Fill, Use and Maintain a Backpack Pump	5.3.19, 5.3.19(A)(B)
5.3.19C	Tool and Appliances for Simple Ground Cover Hose Lay	5.3.19, 5.3.19(A)(B)
5.3.19D	Use of Hand Tools while Building a Fire Control Line	5.3.19, 5.3.19(A)(B)
5.5.3A	Cleaning/Maintaining/Inspecting Department Ladders	5.5.1, 5.5.1(A)(B)
5.5.3C	Maintenance/Use SCBA	5.5.1, 5.5.1(A)(B)
5.5.3D	Inspection/Maintenance of Salvage Cover	5.5.1, 5.5.1(A)(B)
5.5.3E	Rope Maintenance	5.5.1, 5.5.1(A)(B)
5.5.4A	Hose Storage	5.5.2, 5.5.2(A)(B)
5.5.4B	Hose Rolls	5.5.2, 5.5.2(A)(B)
5.5.4C	Cleaning/Maintaining/Inspecting Hose	5.5.2, 5.5.2(A)(B)
5.5.4D	Cleaning/Maintaining/Inspecting Hose Couplings	5.5.2, 5.5.2(A)(B)



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.1.1.2A</b>	Primary Task:	<b>Donning Personal Protective Clothing</b>	
Objective(s) :	5.1.2	NFPA Standard:	1001	Candidate # <input style="width: 50px;" type="text"/>
Performance Evaluation Sheet				
<b>Task :</b>				
			1st	2nd
1	* Dons boots / trousers with suspenders on shoulders			
2	Dons hood (if applicable), extending around neck under coat			
3	* Fastens coat completely with collar up and neck tab secured			
4	* Dons helmet, chin strap secured under chin and ear flaps down (if applicable)			
5	* Dons gloves			
6	* Dons PPE completely within one minute			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>4</b>

**1/11/11**

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.1.1.2B</b>	Primary Task:	<b>Tie Knots and Hoist Tools</b>	
Objective(s) :	5.1.2	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 50px; height: 20px;"></span>
Performance Evaluation Sheet				
<b>Task :</b>				
			1 <sup>st</sup>	2 <sup>nd</sup>
1	* Selects correct rope			
2	Verbalizes correct knot for the task			
3	* Ties correct knots to hoist tools / hose			
4	Hoists tools / hose successfully			
5	Ties tag lines properly (when applicable)			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>4</b>

**1/11/11**

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.1.1.2C</b>	Primary Task: <b>Knot Selection and Tying</b>		
Objective(s) : 5.1.2	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
At the direction of the examiner, the candidate will perform the following:			
1. * Selects proper size and length of rope			
2. Ties Clove Hitch with overhand safety knot			
3. Ties Half Hitch			
4. Ties Figure of Eight on a Bight with overhand safety knot			
5. Ties Becket (sheet) Bend with two overhand safety knots			
6. Ties Single Figure of Eight			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.1.1.2D</b>	Primary Task: <b>Securing with Rope</b>		
Objective(s) : 5.1.2	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1 Selects correct rope			
2 Uses correct knot for selected object			
3 * Ties knot correctly			
4 * Secures object correctly			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.2.1A</b>	Primary Task: <b>Emergency Telephone Procedures</b>		
Objective(s) : 5.2.1, 5.2.1(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1. Answer phone in accordance with department's SOPs or other guidelines			
2. Have questions organized to control conversation (type of incident and location etc.)			
3. Ask questions in an assertive voice (department's SOPs)			
4. Repeat information back to caller			
5. Forward information to proper authority (department SOPs)			
6. * Documents information			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.2.1B</b>		Primary Task: <b>Emergency Walk-Ins</b>	
Objective(s) : 5.2.1, 5.2.1(A)(B)		NFPA Standard: 1001	Candidate # <input style="width: 50px;" type="text"/>
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	Acts in a professional manner		
2	* Obtains location and type of incident		
3	Obtains person's name and address if possible		
4	Forwards information to proper authority (department's SOPs)		
5	* Documents information		
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.2.1C</b>	Primary Task: <b>Emergency Telephone/Radio/Fire Alarm Box Procedures</b>		
Objective(s) : 5.2.1, 5.2.1(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	Answers phone in accordance with department SOP's or other department guidelines		
2	* Has questions organized to control conversation (type of incident, location etc.)		
3	Asks questions in an assertive voice (department's SOPs )		
4	Repeats information back to the caller		
5	Forwards information to proper authority (department's SOPs )		
6	* Documents information		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.2.2A</b>	Primary Task: <b>Fire Department Telephone Skills ( non-emergency from public)</b>
Objective(s) :	5.2.2, 5.2.2 (A)(B)	NFPA Standard 1001 <span style="float: right;">Candidate # <input style="width: 50px;" type="text"/></span>
Performance Evaluation Sheet		
<b>Task</b>		
		1st    2nd
1.	Answers calls promptly and in a professional manner	<input style="width: 40px; height: 20px;" type="text"/> <input style="width: 40px; height: 20px;" type="text"/>
2.	Identifies himself/herself (rank & name) and the name of his/her fire department	<input style="width: 40px; height: 20px;" type="text"/> <input style="width: 40px; height: 20px;" type="text"/>
3.	Records all information accurately – name, time, date, telephone number	<input style="width: 40px; height: 20px;" type="text"/> <input style="width: 40px; height: 20px;" type="text"/>
4.	Terminates call courteously	<input style="width: 40px; height: 20px;" type="text"/> <input style="width: 40px; height: 20px;" type="text"/>
5.	Forwards information to the proper authority (department SOP's)	<input style="width: 40px; height: 20px;" type="text"/> <input style="width: 40px; height: 20px;" type="text"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b> <span style="float: right;">Total number tasks candidate must complete to pass <b>4</b></span>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.2.3A</b>		Primary Task: <b>Radio Procedures for Fire Ground Size-Up</b>	
Objective(s) : 5.2.3, 5.2.3(A)(B)		NFPA Standard: 1001	Candidate # <input type="text"/>
Performance Evaluation Sheet			
<b>Task</b>			
		1 <sup>st</sup>	2 <sup>nd</sup>
1	Identifies the contact that the message is being transmitted to (ex. Fire Alarm, Dispatch)	<input type="text"/>	<input type="text"/>
2	* Identifies themselves (ex. Engine Company # 1)	<input type="text"/>	<input type="text"/>
3	* Confirms location of incident, correct address (initial size-up)	<input type="text"/>	<input type="text"/>
4	Voice is clear when transmitting	<input type="text"/>	<input type="text"/>
5	Ensures message concise and to the point	<input type="text"/>	<input type="text"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.1A.1</b>	<b>Primary Task: SCBA – Replacement of Cylinder (One Person) for Re-Entry</b>		
Objective(s) : 5.3.1, 5.3.1(A)(B)	NFPA Standard: 1001	Candidate #	
Performance evaluation sheet			
<b>Task</b>			
**ONE PERSON**			
		1st	2nd
1 * Wears full protective clothing properly			
2 Doffs SCBA correctly			
3 Closes cylinder and properly bleeds off pressure			
4 Removes, positions, protects high pressure hose			
5 Releases cylinder, replaces with new cylinder and secures			
6 * Checks that cylinder is full (or at least 90%)			
7 Checks valve opening and “O” ring			
8 Connects high pressure hose			
9 * Opens cylinder fully			
10 Checks all gauges			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>7</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.1A.2</b>	Primary Task: <b>SCBA – Replacement of Cylinder (Two Person) for Re-Entry</b>		
Objective(s) : 5.3.1, 5.3.1(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
**TWO PERSON**		1st	2nd
1	Changer turns off cylinder		
2	Changer instructs wearer to release pressure		
3	Changer disconnects high pressure hose		
4	Changer releases and removes cylinder		
5	* Changer verifies that cylinder is full (or at least 90%)		
6	Changer replaces cylinder, secures cylinder, and connects high pressure hose		
7	* Changer opens cylinder fully		
8	Pressure gauges verified		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.1B</b>	<b>Primary Task: Donning SCBA</b>	
Objective(s) : 5.3.1, 5.3.1(A)(B)	NFPA Standard: 1001	Candidate # <input type="text"/>
Performance Evaluation Sheet		
<b>Task</b>		
	1st	2nd
1 * Wears full protective clothing properly	<input type="text"/>	<input type="text"/>
2 * Checks that cylinder is full (or at least 90%)	<input type="text"/>	<input type="text"/>
3 * Opens cylinder fully	<input type="text"/>	<input type="text"/>
4 Dons harness and connects waist straps	<input type="text"/>	<input type="text"/>
5 Checks facepiece seal	<input type="text"/>	<input type="text"/>
6 Activates PASS Device ( if applicable )	<input type="text"/>	<input type="text"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>
		Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



## Firefighter I

Skill No.	<b>5.3.1E</b>	Primary Task:	<b>SCBA – Ready for Immediate Use</b>	
Objective(s) :	5.3.1, 5.3.1(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1.	* Checks that cylinder is full (or at least 90%)			
2.	Checks operation of all gauges. Verifies that the difference between cylinder and regulator. gauge does not exceed 100 psi			
3.	* Tests operation of low pressure alarm (to activate at 25%of cylinder)			
4.	Checks all hose connections			
5.	Checks condition of facepiece			
6.	Checks condition of harness and straps			
7.	Checks operation of donning and bypass valves			
8.	Checks that unit is clean and sanitized			
9.	* Tests PASS device			
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>6</b>	

**1/11/11**

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.1F</b>	Primary Task:	<b>Use of SCBA (Restricted Passage)</b>		
Objective(s) :	5.3.1, 5.3.1(A)(B), 5.3.9, 5.3.9(A)(B)	NFPA Standard:	1001	Candidate #	
Performance Evaluation Sheet					
<b>Task</b>					
<b>VERTICAL EGRESS (between wall studs)</b>				1st	2nd
1	* Does not remove facepiece or PPE				
2	Loosens shoulder straps and waist straps				
3	Removes or loosens shoulder strap from the non-regulator side				
4	* Must maintain contact with the regulator or shoulder strap				
5	Slides backpack to the outside of the shoulder that he/she is maintaining contact with				
6	* Checks for floor integrity				
7	* Side steps through restricted opening maintaining contact with SCBA				
8	* Exits the restricted area, redons the SCBA backpack, tightens all straps				
* Critical Task	Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.1F.1</b>	Primary Task: <b>Use of SCBA (Restricted Passage)</b>		
Objective(s) : 5.3.1, 5.3.1(A)(B), 5.3.9, 5.3.9(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
<b>HORIZONTAL EGRESS (crawl space)</b>		1 <sup>st</sup>	2 <sup>nd</sup>
1	* Does not remove facepiece or personal protective equipment	<input type="text"/>	<input type="text"/>
2	Removes air-pack and places air-pack before him/her holding the regulator side shoulder strap	<input type="text"/>	<input type="text"/>
3	* Pushes airpack in front while crawling through restricted area, still holding the regulator side shoulder strap at all times	<input type="text"/>	<input type="text"/>
4	* Exits the restricted area, redons SCBA backpack and tightens all straps	<input type="text"/>	<input type="text"/>
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	
Total number tasks candidate must complete to pass			<b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.1G</b>	Primary Task:	<b>SCBA Failure Procedures</b>	
Objective(s) :	5.3.1, 5.3.1(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Notifies partner/command of MAY DAY			
2	Conserves air			
3	Utilizes bypass/purge valve to conserve air correctly			
4	Buddy breathes ( when equipment and jurisdiction allow )			
5	* Manually activates PASS device to alarm mode			
6	Exits structure			
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>	

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.2A</b>	Primary Task:	<b>Safety when Mounting, Riding, Dismounting Apparatus</b>		
Objective(s) :	5.3.2, 5.3.2(A)(B), 5.3.3, 5.3.3(A)(B)	NFPA Standard:	1001	Candidate #	
Performance Evaluation Sheet					
<b>Task</b>					
				1st	2nd
1	Dresses into PPE before apparatus moves				
2	Mounts apparatus using handrail				
3	* Applies seat belt and other safety devices				
4	Places safety bar in proper position (if applicable)				
5	Communicates with officer				
6	Check traffic movement and foot placement on ground				
7	Dismounts apparatus using hand rail				
	<b>or</b>				
	Demonstrates safe dismount when apparatus in contact with electrical wires				
* Critical Task	Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.3A</b>	Primary Task: <b>Deployment of Traffic and Scene Control Devices to Operate at Emergency Scenes</b>		
Objective(s) : 5.3.3, 5.3.3(A)(B), 5.3.2, 5.3.2(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1 * Wears appropriate protective clothing (reflective vest if required).		<input type="text"/>	<input type="text"/>
2 Establishes zone boundaries (how large of an area and degree of hazard), based on instructions		<input type="text"/>	<input type="text"/>
3 Uses traffic cones and other scene devices (fire line tape) to cordon off area.		<input type="text"/>	<input type="text"/>
4 Continues to monitor area to prevent people from crossing the line.		<input type="text"/>	<input type="text"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.4A</b>	<b>Primary Task: Identify and Carry Tools</b>
Objective(s) : 5.3.4, 5.3.4(A)(B)	NFPA Standard: 1001 <span style="float: right;">Candidate # <input type="text"/></span>
Performance Evaluation Sheet	
<b>Task</b>	
	1st    2nd
1 * Wears full protective equipment properly	<input type="text"/> <input type="text"/>
2 Identifies cutting tool	<input type="text"/> <input type="text"/>
3 Identifies prying tool	<input type="text"/> <input type="text"/>
4 Identifies striking tool	<input type="text"/> <input type="text"/>
5 * Safely carries at least one of the above tools	<input type="text"/> <input type="text"/>
* Critical Task    Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b> Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.4B</b>	Primary Task: <b>Forcible Entry – Door</b>		
Objective(s) : 5.3.4, 5.3.4 (A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1 * Wears full protective equipment properly			
2 Identifies tools and carries them properly			
3 Determines if door is locked (try before you pry)			
4 Identifies door swing			
5 Identifies lock mechanism			
6 * Demonstrates forcing door			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.4C</b>	Primary Task: <b>Window Opening (Non-Destructive)</b>		
Objective(s) : 5.3.4, 5.3.4(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	* Wears full protective equipment properly		
2	Identifies window type		
3	Disengages lock mechanism		
4	Opens window(s):		
	Leeward – High		
	Windward - Low		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.4D</b>		Primary Task: <b>Forcible Entry through Plaster or Gypsum Partition Walls</b>	
Objective(s) : 5.3.4, 5.3.4(A)(B)		NFPA Standard: 1001	Candidate # <input type="text"/>
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	* Wears full protective clothing properly	<input type="text"/>	<input type="text"/>
2	Selects location for opening	<input type="text"/>	<input type="text"/>
3	* Checks wall for electrical wall plugs and switches	<input type="text"/>	<input type="text"/>
4	Sounds wall to locate wall studs	<input type="text"/>	<input type="text"/>
5	Cuts along studs for opening to gain access	<input type="text"/>	<input type="text"/>
6	* Sounds floor on other side before entering	<input type="text"/>	<input type="text"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.5A.1</b> Primary Task: <b>Action When Trapped/Disoriented with Hose</b>			
Objective(s) : 5.3.5, 5.3.5(A)(B)		NFPA Standard: 1001	Candidate # <input style="width: 50px;" type="text"/>
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	* Wears full protective clothing properly	<input style="width: 40px; height: 25px;" type="text"/>	<input style="width: 40px; height: 25px;" type="text"/>
2	Uses portable radio properly (speaks clearly)	<input style="width: 40px; height: 25px;" type="text"/>	<input style="width: 40px; height: 25px;" type="text"/>
3	* Calls May Day	<input style="width: 40px; height: 25px;" type="text"/>	<input style="width: 40px; height: 25px;" type="text"/>
4	* Identifies location and situation	<input style="width: 40px; height: 25px;" type="text"/>	<input style="width: 40px; height: 25px;" type="text"/>
5	Controls breathing	<input style="width: 40px; height: 25px;" type="text"/>	<input style="width: 40px; height: 25px;" type="text"/>
6	Controls panic	<input style="width: 40px; height: 25px;" type="text"/>	<input style="width: 40px; height: 25px;" type="text"/>
7	Listens for noises or sounds	<input style="width: 40px; height: 25px;" type="text"/>	<input style="width: 40px; height: 25px;" type="text"/>
8	* Follows hoseline in proper direction using hose coupling	<input style="width: 40px; height: 25px;" type="text"/>	<input style="width: 40px; height: 25px;" type="text"/>
9	* Manually activates PASS device to alarm mode	<input style="width: 40px; height: 25px;" type="text"/>	<input style="width: 40px; height: 25px;" type="text"/>
* Critical Task Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.5A.2</b> Primary Task: <b>Action When Trapped/Disoriented without Hose</b>			
Objective(s) : 5.3.5, 5.3.5(A)(B)		NFPA Standard: 1001	Candidate #
Performance Evaluation Sheet			
<b>Task</b>			
<b>TRAPPED AND DISORIENTED WITHOUT HOSE</b>			1st    2nd
1	* Wears protective equipment properly		
2	Uses portable radio properly (speaks clearly)		
3	* Calls May Day		
4	* Identifies location and situation		
5	Listens for noises or sounds		
6	* Manually activates PASS alarm to alarm mode		
7	Controls breathing		
8	Controls panic		
9	* Locates and follows wall in the same direction		
10	Locates windows/door		
* Critical Task    Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>7</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.6A</b>	Primary Task: <b>24' Extension Ladder – Carry / Raise / Extend (One Person)</b>		
Objective(s) : 5.3.6, 5.3.6(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
<b>***ONE PERSON***</b>		1st	2nd
1	* Wears full protective equipment properly		
2	Picks up ladder properly as directed		
3	* Carries selected ladder properly as directed		
4	Places butt end of ladder at building to raise		
5	* Verbalizes safety - overhead wires		
6	* Raises ladder correctly to building as directed with the fly section in		
7	Pulls the base of the ladder away from the building slightly		
8	* Extends and locks fly section (hand over hand on halyard)		
9	Ensures ladder locks (dogs) are secured		
10	Rotates ladder (fly section out)		
11	Places ladder on the windward side of the opening (if applicable)		
12	Angles ladder properly for climbing		
13	Secures fly section with halyard		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number Tasks candidate must complete to pass <b>9</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.6B</b>	Primary Task: <b>24' Extension Ladder-Lower/ Removal (One Person)</b>		
Objective(s) : 5.3.6, 5.3.6(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
<b>ONE PERSON LOWER AND REMOVAL</b>			1st    2nd
1	* Wears full protective clothing properly		
2	Unsecures halyard from ladder		
3	* Rotates ladder (fly section in)		
4	Places ladder to vertical position next to building		
5	* Verbalizes overhead wires (safety)		
6	* Unlocks and lowers fly section (hand over hand on halyard)		
7	* Lowers ladder to ground (butting the heel of ladder next to building)		
8	Picks up ladder properly		
9	* Carries ladder properly to starting position as directed		
10	Lowers ladder to the ground properly		
*Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>7</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.6C</b> Primary Task: <b>24' to 28' Extension Ladder Carry / Raise (Two Person)</b>			
Objective(s) : 5.3.6, 5.3.6(A)(B)		NFPA Standard: 1001	Candidate # <input type="text"/>
Performance Evaluation Sheet			
<b>Task :</b>			
<b>**TIP PERSON**</b>		1st	2nd
1	Picks up ladder properly as directed		
2	* Carries selected ladder properly as directed		
3	* Verbalizes overhead wires (safety)		
4	* Raises ladder correctly as directed		
5	* Extends and locks fly section (hand over hand on halyard)		
6	Ensures locks (dogs) are secured		
7	Angles ladder properly against building for climbing		
8	Secures fly section with halyard to bed section		
<b>**BUTT PERSON**</b>		Total number tasks candidate must complete to pass <b>6</b>	
9	Picks up ladder properly (communicates by giving commands)		
10	* Carries selected ladder properly as directed		
11	* Verbalizes overhead wires (safety)		
12	* Butts ladder to vertical properly		
13	Pivots ladder (if necessary)		
14	* Extends and locks fly section (hand over hand on halyard)		
15	Angles ladder properly against building for climbing		
16	Assists with securing ladder		
17	* Butts ladder until completion of evolution (when all firefighters are off the ladder)		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.6D</b>	Primary Task: <b>24' to 28' Extension Ladder- Lowering / Removal (Two Person)</b>				
Objective(s) : 5.3.6, 5.3.6(A)(B)	NFPA Standard: 1001	Candidate #			
Performance Evaluation Sheet					
<b>Task</b>					
<b>***TIP PERSON***</b>		1st	2nd		
1	Unsecures fly section				
2	Verbalizes overhead wires (safety)				
3	Places ladder to vertical position next to building				
4	* Lowers fly section (hand over hand on halyard)				
5	Pivots ladder (if necessary)				
6	Lowers ladder to the ground correctly				
7	* Picks up, carries, and lowers ladder properly to the starting position as directed				
<b>***BUTT PERSON ***</b>		<table border="1"> <tr> <td>Total number tasks candidate must complete to pass</td> <td style="text-align: center; font-size: 24pt;"><b>5</b></td> </tr> </table>		Total number tasks candidate must complete to pass	<b>5</b>
Total number tasks candidate must complete to pass	<b>5</b>				
8	Communicates positions to lower ladder from building				
9	* Butts ladder correctly to remove ladder from building to vertical				
10	Assists in ladder control as fly section is being loward				
11	Pivots ladder (if necessary)				
12	* Butts ladder correctly for lowering to ground from vertical position				
13	* Picks up, carries, and lowers ladder properly to the starting position as directed				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>		

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.6E</b>	Primary Task: <b>14' to 20' Single Ladder Carry / Raise (One Person)</b>		
Objective(s) : 5.3.6, 5.3.6(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	* Wears full protective equipment properly		
2	Properly picks up ladder as directed		
3	* Carries selected ladder properly as directed		
4	* Verbalizes overhead wires (safety)		
5	* Places butt end of ladder at building to raise as directed		
6	Raises ladder correctly to building		
7	Angles ladder properly for climbing		
8	Butts ladder until completion of evolution (if applicable)		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number Tasks candidate must complete to pass <b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.6F</b> Primary Task: <b>14' to 20' Single Ladder - Lower / Removal (One Person)</b>			
Objective(s) : 5.3.6, 5.3.6(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
** ONE PERSON LOWER AND REMOVAL**		1st	2nd
1	* Wears full protective clothing properly		
2	* Verbalizes overhead wires (safety)		
3	Moves ladder to vertical position next to building		
4	* Lowers ladder properly (butting heel of ladder next to building)		
5	Picks up ladder properly as directed		
6	* Carries ladder properly to starting position as directed		
7	Lowers ladder to ground properly		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.6G</b>	Primary Task:	<b>35' Extension Ladder Carry / Raise (Three Person)</b>			
Objective(s) :	5.3.6, 5.3.6(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 50px; height: 20px;"></span>		
Performance Evaluation Sheet						
<b>Task</b>						
*****BUTT PERSON*****			1 <sup>st</sup>	2 <sup>nd</sup>		
1	Communicates ladder positions and commands					
2	Picks up ladder properly					
3	* Carries selected ladder properly as directed					
4	Butt person states "raise ladder"					
5	* Butts ladder correctly for raising ladder to vertical position					
6	Pivots ladder (if necessary)					
7	* Assists in ladder control as fly section is extended and locked (hand over hand) on halyard					
8	Lowers ladder to building					
9	Angles ladder properly for climbing					
10	* Butts ladder until completion of evolution (until all firefighters are off the ladder)					
*****BEAM PERSONS*****			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">Total number tasks candidate must complete to pass</td> <td style="text-align: center; font-size: 24pt; font-weight: bold;">7</td> </tr> </table>		Total number tasks candidate must complete to pass	7
Total number tasks candidate must complete to pass	7					
11	Picks up ladder properly					
12	* Carries selected ladder properly as directed					
13	* Verbalize overhead wires (safety)					
14	Raises ladder to vertical position					
15	Pivots ladder (if necessary)					
16	* Extended and locks fly section – (hand over hand on halyard)					
17	Lowers ladder to building					
18	Secures fly section to bed section with halyard					
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>			
			Total number tasks candidate must complete to pass <b>5</b>			

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.6H</b>	Primary Task:	<b>35' Extension Ladder Lowering – Three Person</b>	
Objective(s) :	5.3.6, 5.3.6(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
***** <b>BUTT PERSON</b> *****			1st	2nd
1	Communicates ladder positions and commands			
2	* Butts ladder correctly when removing ladder from building to vertical			
3	Assists in ladder control as fly section is retracted			
4	* Butts ladder correctly to lower ladder to the ground			
***** <b>BEAM PERSONS</b> *****			Total number tasks candidate must complete to pass <b>3</b>	
5	Unties halyard from fly and bed sections			
6	Removes ladder from building to vertical			
7	Assists with ladder control			
8	* Retracts fly section (hand over hand on halyard))			
9	Pivots ladder (if necessary)			
10	Lowers ladder to the ground			
11	* Carries and lowers ladder properly back to the starting position as directed			
* Critical Task	Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	
			Total number tasks candidate must complete to pass <b>5</b>	

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.7A</b>	<b>Primary Task: Fire Suppression – Vehicle Fires</b>		
Objective(s) : 5.3.7, 5.3.7(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	* Wears full protective equipment and SCBA properly		
2	Identifies fuel type		
3	Approaches fire from appropriate direction (uphill, upwind if possible)		
4	* Recognizes approach hazards (tires, batteries, bumpers) - Verbalize		
5	Extinguishes fire on ground and under vehicle (1 1/2" hoseline minimum)		
6	Checks stability of vehicle (blocks wheels if possible)		
7	Maintains communication		
8	Attacks remaining fire (proper nozzle pattern to provide flash protection)		
9	Follows safety procedures		
10	Gains access to all compartments using basic hand tools		
11	* Extinguishes remaining fire		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>8</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.8A</b>	Primary Task: <b>Fire Suppression –Piles/Stacks of Class A Combustibles</b>	
Objective(s) : 5.3.8, 5.3.8(A)(B)	NFPA Standard: 1001	Candidate # <input type="text"/>
Performance Evaluation Sheet		
<b>Task</b>		
	1st	2nd
1 * Wears full protective equipment and SCBA properly	<input type="text"/>	<input type="text"/>
2 Selects appropriate handline or master stream	<input type="text"/>	<input type="text"/>
3 Advances handline or operates master stream	<input type="text"/>	<input type="text"/>
4 * Extinguishes fire	<input type="text"/>	<input type="text"/>
5 Uses tools to separate piles/stacks	<input type="text"/>	<input type="text"/>
6 Examines debris for hot spots	<input type="text"/>	<input type="text"/>
7 Follows safety procedures	<input type="text"/>	<input type="text"/>
8 Preserve areas of origin and signs of arson	<input type="text"/>	<input type="text"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>
		Total number tasks candidate must complete to pass <b>6</b>

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.8B</b>	Primary Task:	<b>Fire Suppression – Dumpster/Storage Container Fires</b>	
Objective(s) :	5.3.8, 5.3.8(A)(B), 5.3.10(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 50px; height: 20px;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears full protective equipment and SCBA properly			
2	Selects appropriate size handline or master stream			
3	Advances hoseline or operates master stream			
4	Protects possible exposures			
5	* Extinguishes fire			
6	Follows proper procedures for overhaul of dumpster/container			
7	Follows safety procedures			
8	Preserve areas of origin and signs of arson			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.8C</b>		Primary Task: <b>Deploy Master Stream Device (2 person)</b>	
Objective(s) : 5.3.8, 5.3.8(A)(B), 5.3.10, 5.3.10(A)(B)		NFPA Standard: 1001	Candidate #
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	* Wears full protective equipment properly		
2	Selects and attaches appropriate feeder lines		
3	Sets up for direct attack and exposures protection (if possible)		
4	Follows safety procedures to include securing the master stream device (if applicable)		
5	Calls for water		
6	Operates master stream		
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.9B</b>	Primary Task:	<b>Rescue with SCBA in Obscured Visibility</b>		
Objective(s) :	5.3.9, 5.3.9(A)(B), 5.3.1, 5.3.1(A)(B)	NFPA Standard:	1001	Candidate #	
Performance Evaluation Sheet					
<b>Task</b>					
				1st	2nd
1	* Wears full protective equipment properly				
2	* Checks door for heat				
3	Searches structure using established search patterns				
4	Stays low / crawls				
5	* Communicates / contact				
6	Probes with tools				
7	Conserves air				
8	* Locate / remove victim				
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>6</b>

**1/11/11**

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.9C</b>	Primary Task:	<b>Removal Over Ladder (Conscious Person)</b>	
Objective(s) :	5.3.6, 5.3.6(A)(B), 5.3.9, 5.3.9(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1 <sup>st</sup>	2 <sup>nd</sup>
1	* Wears full protective equipment properly			
2	Checks angle of ladder			
3	Ascends ladder safely			
4	Communicates with victim			
5	Assists victim onto ladder			
6	* Maintains contact with victim			
7	* Descends ladder safely with victim			
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.9D</b>	Primary Task:	<b>Removal Over Ladder (Unconscious Person)</b>		
Objective(s) :	5.3.6, 5.3.6(A)(B), 5.3.9, 5.3.9(A)(B)	NFPA Standard:	1001	Candidate #	
Performance Evaluation Sheet					
<b>Task</b>					
			1st	2nd	
1	* Wears full protective equipment properly				
2	Checks for proper climbing angle				
3	Ensures ladder is heeled and secured and locks are seated				
4	Ascends the ladder to the victim				
5	Places victim on ladder using one of the following methods:				
	* Method 1-Places victim on knee facing ladder places victim's legs outside beams				
	* Method 2-Places victim on knee facing the firefighter with victim's legs outside beams				
	* Method 3-Places victim facing the firefighter with victim's legs at the knees draped over the firefighter's shoulders				
	* Method 4-Places one arm under the victim's arm and the other arm under the opposite leg				
6	Keeps hands on the ladder <b>rungs</b> and under the victim's arm pits or method 4 opposite leg				
7	* Descends the ladder rung by rung while moving hands down on each rung				
* Critical Task	Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>		Total number tasks candidate must complete to pass <b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.9F</b>	Primary Task: <b>Conduct a Primary Search</b>	
Objective(s) : 5.3.9, 5.3.9(A)(B)	NFPA Standard: 1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet		
<b>Task</b>		
		1st    2nd
1	* Wears full protective equipment and SCBA properly	<input type="checkbox"/> <input type="checkbox"/>
2	Carries a forcible entry tool	<input type="checkbox"/> <input type="checkbox"/>
3	Searches on hands and knees in low visibility	<input type="checkbox"/> <input type="checkbox"/>
4	Searches structure using established search patterns	<input type="checkbox"/> <input type="checkbox"/>
5	Searches behind and under all objects	<input type="checkbox"/> <input type="checkbox"/>
6	Searches all areas such as closets, showers. etc.	<input type="checkbox"/> <input type="checkbox"/>
7	Searches one room before moving onto the next	<input type="checkbox"/> <input type="checkbox"/>
8	Pauses occasionally to listen for sounds of building collapse, cries for help etc.	<input type="checkbox"/> <input type="checkbox"/>
9	* Moves up and down stairs, head always up.	<input type="checkbox"/> <input type="checkbox"/>
10	* Finds victim	<input type="checkbox"/> <input type="checkbox"/>
11	Reports findings to Incident Command	<input type="checkbox"/> <input type="checkbox"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>
		Total number tasks candidate must complete to pass <b>8</b>

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.9F.1</b>	Primary Task: <b>Conduct a Secondary Search</b>	
Objective(s) : 5.3.9, 5.3.9(A)(B)	NFPA Standard: 1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet		
<b>Task</b>		
		1st    2nd
1	* Wears full protective equipment and SCBA properly	
2	Carries a forcible entry tool	
3	Searches with portable lighting (if possible)	
4	Searches are conducted slowly and methodically	
5	Searches behind and under all objects	
6	Searches all areas such as closets, showers. etc.	
7	Searches one room before moving onto the next	
8	Reports findings to Incident Command	
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>
		Total number tasks candidate must complete to pass <b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Fire Fighter I

Skill No.	<b>5.3.9G</b>	Primary Task:	<b>Drags and Carries</b>	
Objective(s) :	5.3.9, 5.3.9(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1 <sup>st</sup>	2 <sup>nd</sup>
<b>One Person</b>				
1	Demonstrates lone rescuer incline drag			
2	Demonstrates blanket drag			
<b>Two Person</b>				
3	Demonstrates extremities carry			
	<ul style="list-style-type: none"> <li>• Rescuer 1 (at head facing feet)</li> <li>• Rescuer 2 (between legs facing feet, both walking forward)</li> </ul>			
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Chief Examiner at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.10A.1</b>	Primary Task:	<b>Fire Suppression – Interior Structure, Grade Level</b>		
Objective(s) :	5.3.10, 5.3.10(A)(B), 5.3.8, 5.3.8(A)(B)	NFPA Standard:	1001	Candidate #	
Performance Evaluation Sheet					
<b>Task</b>					
			1st	2nd	
1	* Wears full protective equipment and SCBA properly				
2	Properly advances hoseline from one of the following loads				
	• Minuteman Load				
	• Preconnected Flat Load				
	• Triple Layer Load				
3	* Clears all remaining hose from hose bed and flakes out hoseline before entering advancing to the fire area				
4	Maintains communication and radios for water				
5	Checks nozzle pattern and bleeds air from hose line				
5	Enters structure properly (per building condition )				
6	Advances hoseline into structure				
7	* Locates and extinguishes fire using appropriate attack methods				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass		<b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.10A.2</b>	Primary Task: <b>Fire Suppression – Interior Structure Above Grade Level</b>	
Objective(s) : 5.3.10, 5.3.10(A)(B), 5.3.8, 5.3.8(A)(B)	NFPA Standard: 1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 50px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet		
<b>Task</b>		
	1st	2nd
1 * Wears full protective clothing and SCBA correctly	<input type="text"/>	<input type="text"/>
2 Properly advances hoseline up interior stairs to the fire floor by one of the following loads		
• Preconnected flat load	<input type="text"/>	<input type="text"/>
• Minuteman load	<input type="text"/>	<input type="text"/>
• Triple layer load	<input type="text"/>	<input type="text"/>
3 * Clears all remaining hose from hose bed and flakes out hoseline before advancing to the fire area	<input type="text"/>	<input type="text"/>
4 Maintains communication and radios for water	<input type="text"/>	<input type="text"/>
5 Checks nozzle pattern and bleeds air from hose line	<input type="text"/>	<input type="text"/>
6 Advances hoseline into the structure	<input type="text"/>	<input type="text"/>
7 * Locates and extinguishes fire using appropriate method	<input type="text"/>	<input type="text"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>
		Total number tasks candidate must complete to pass <b>5</b>

**1/11/11**

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.10A.3</b>	Primary Task: <b>Fire Suppression – Interior Structure, Below Grade Level</b>	
Objective(s) : 5.3.10, 5.3.10(A)(B), 5.3.8, 5.3.8(A)(B)	NFPA Standard: 1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 50px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet		
<b>Task</b>		
	1st	2nd
1 * Wears full protective equipment and SCBA properly		
2 Enters structure properly (per Buildings condition)		
3 Maintains communications		
4 * Removes all hose from hose bed, flakes hose out prior to descending stairs		
5 Calls for water		
6 Checks nozzle pattern and bleeds air from hoseline		
7 * Descends stairs safely (feet first in the sitting position) with charged line		
8 * Locates and extinguishes fire using appropriate method		
* Critical Task      Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.10B</b>	Primary Task: <b>Hose Deployment</b>	
Objective(s) : 5.3.10, 5.3.10(A)(B), 5.3.8, 5.3.8(A)(B)	NFPA Standard: 1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet		
<b>Task</b>		
	1st	2nd
1 * Wears full protective equipment properly		
2 Demonstrates deploying one of the following 1 ¾" loads		
<ul style="list-style-type: none"> <li>• Preconnected flat load</li> <li>• Minuteman load</li> <li>• Triple layer load</li> </ul>		
<b>OR</b>		
3 Demonstrates deploying one of the following 2 ½" loads		
<ul style="list-style-type: none"> <li>• Accordion load</li> <li>• Flat load</li> <li>• Horseshoe load</li> </ul>		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>
		Total number tasks candidate must complete to pass <b>2</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.10C</b>	Primary Task:	<b>Hoseline Advancement</b>	
Objective(s) :	5.3.10, 5.3.10(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 50px; height: 20px;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears full protective equipment properly			
2	Deploys hose properly to building or structure			
3	* Maintains communication ( calls for water when needed )			
4	Checks nozzle pattern and bleeds air from hoseline			
5	Works hoseline properly			
6	Maintains forward movement			
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>	

**1/11/11**

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.10D</b> Primary Task: <b>Charged Hoseline Operation from Ground Ladder (2 person)</b>				
Objective(s) : 5.3.10, 5.3.10(A)(B)		NFPA Standard: 1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>	
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears full protective equipment properly			
2	Ascends ladder safely with charged hose line			
3	* Maintains communication			
4	Assures proper position on ladder for best penetration			
5	* Uses leg lock or safety harness			
6	Projects nozzle between rungs for best results			
7	Uses hose strap to secure hose to ladder			
8	* Slowly opens nozzle and flows water safely			
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.10E</b>	Primary Task:	<b>Use of Nozzle</b>	
Objective(s) :	5.3.10, 5.3.10(A)(B), 5.3.13(A)(B), 5.3.8(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 50px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears full protective equipment properly			
2	Identifies nozzle/appliance			
3	* Opens nozzle slowly			
4	Bleeds air and checks flow pattern			
5	Demonstrates the following nozzle settings			
	• Straight Stream			
	• Narrow Angle Fog			
	• Wide Angle Fog			
6	* Closes nozzle slowly			
* Critical Task Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
COMMISSION ON FIRE PREVENTION AND CONTROL



## Firefighter I

Skill No.	<b>5.3.10F</b>	Primary Task:	<b>Replace Burst Section of Hose</b>	
Objective(s) :	5.3.10, 5.3.10(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears full protective equipment properly			
2	Controls water flow by using clamp or valve			
3	Selects two lengths to replace defective length			
4	Uncouples defective length by using knee press method			
5	Couples replacement length by using foot tilt method			
6	Removes clamp / opens valve to charge line			
	Complete steps 1 to 5 using 1 3/4" line			
	OR			
	Complete steps 1 to 5 using 2 1/2" line			
<b>NOTE:</b> If clamp is not used, water supply may be controlled at the source.				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
Contact the Lead Evaluator at any time with any questions.  
Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.10G</b>	Primary Task: <b>Adding a Length of Hose</b>		
Objective(s) : 5.3.10, 5.3.10(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1 <sup>st</sup>	2 <sup>nd</sup>
1 * Wears full protective equipment properly			
2 Selects hose to be added to line and places it in position			
3 * Opens gated wye or nozzle slightly			
4 Applies hose clamp or shuts off water at source			
5 Adds hose to nozzle end of hoseline			
6 * Adds additional length of hose by using foot-tilt, knee-press method			
7 Removes clamp slowly or turns water on at source			
<p><b>NOTE:</b> If clamp is not used, water supply may be controlled at source.</p>			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.10H.1</b>	Primary Task:	<b>Coupling and Uncoupling Hose (One Person)</b>	
Objective(s) :	5.3.10, 5.3.10(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 50px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
1st      2nd				
<b>**ONE PERSON**</b>				
1	* Wears full protective equipment properly			
2	Couples two lengths (supply line) Min. size 2 1/2" using foot-tilt method			
3	Uncouples hoseline used in step number 2 using knee-press method			
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>		Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.10H.2</b>	Primary Task: <b>Coupling / Uncoupling Hose (Two Person)</b>		
Objective(s) : 5.3.10, 5.3.10(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
<b>** TWO PERSON **</b>			
1 * Wears full protective equipment properly		<input type="text"/>	<input type="text"/>
2 Couples two lengths – minimum size 2 1/2"		<input type="text"/>	<input type="text"/>
3 Uncouples line used in Step #2 using stiff–arm method		<input type="text"/>	<input type="text"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.10J</b>	Primary Task: <b>Remove Hose from Upper Floors</b>		
Objective(s) : 5.3.10, 5.3.10(A)(B), 5.3.14, 5.3.14(A)(B)		NFPA Standard: 1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	* Wears full protective equipment properly		
2	Shuts down water supply		
3	Opens nozzle to relieve water pressure (bathtub, out of window, etc.)		
4	Disconnects hose coupling to drain (window sill, front door, street curb, etc.)		
5	After draining, removes hose using shoulder carry		
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	
		Total number tasks candidate must complete to pass <b>3</b>	

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.10K</b>	Primary Task:	<b>Remove Hose from Building to Minimize Water Damage</b>		
Objective(s) :	5.3.10, 5.3.10(A)(B), 5.3.14, 5.3.14(A)(B)	NFPA Standard:	1001	Candidate #	
Performance Evaluation Sheet					
<b>Task</b>					
			1st	2nd	
1	* Wears full protective equipment properly				
2	Shuts down water supply				
3	Opens nozzle to relieve pressure (bathtub, out of window, etc.)				
4	Disconnects hose coupling to drain (window sill, front door, street curb, etc.)				
5	After draining, removes hose from building (using shoulder carry)				
* Critical Task		Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	
				Total number tasks candidate must complete to pass	
				<b>4</b>	

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.11A</b>	Primary Task:	<b>Working Safely from Ladders (Ground)</b>	
Objective(s) :	5.3.11, 5.3.11(A)(B), 5.3.6, 5.3.6(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears full protective equipment properly			
2	Climbs ladder properly			
3	* Uses leg lock or safety harness properly			
4	Descends ladder safely			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.11B</b>	Primary Task:	<b>Window Opening (Destructive)</b>	
Objective(s) :	5.3.11, 5.3.11(A)(B), 5.3.6(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears full protective equipment properly			
2	* Positions ladder (windward side of the window) tip even with the top of window			
3	Climbs ladder with tool			
4	* Uses leg lock or safety harness			
5	Maintains safety area			
6	Strikes window correctly (simulation)			
7	Clears window frame (simulation)			
8	Descends ladder safely			
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	
			Total number tasks candidate must complete to pass	<b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.11C</b>	Primary Task: <b>Hydraulic Ventilation</b>		
Objective(s) : 5.3.11, 5.3.11(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1 * Wears full protective equipment properly			
2 * Identifies proper nozzle			
3 Selects and demonstrates proper fog pattern to cover 85 to 90 % of window or door opening			
4 Selects proper distance from opening for maximum effectiveness			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.11D</b>	Primary Task: <b>Negative-Pressure Ventilation</b>	
Objective(s) : 5.3.11, 5.3.11(A)(B)	NFPA Standard: 1001	Candidate # <input style="width: 50px;" type="text"/>
Performance Evaluation Sheet		
<b>Task</b>		
	1 <sup>st</sup>	2 <sup>nd</sup>
1 * Wears full protective equipment properly	<input type="text"/>	<input type="text"/>
2 * Ensures proper placement in opening (same direction as natural wind)	<input type="text"/>	<input type="text"/>
3 * Removes any material that might disrupt air flow (if applicable)	<input type="text"/>	<input type="text"/>
4 Covers area around fan to prevent churning	<input type="text"/>	<input type="text"/>
5 Connects to power properly	<input type="text"/>	<input type="text"/>
* Critical Task      Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.11E</b>	Primary Task: <b>Positive-Pressure Ventilation</b>		
Objective(s) : 5.3.11, 5.3.11(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1 * Wears full protective equipment properly		<input type="text"/>	<input type="text"/>
2 Selects proper point of entry		<input type="text"/>	<input type="text"/>
3 Properly positions fan to completely cover entry with cone of air		<input type="text"/>	<input type="text"/>
4 * Selects proper exit point to remove smoke (other areas should be closed)			
Exit opening approximately equal to or smaller than entry		<input type="text"/>	<input type="text"/>
5 Properly connects to power source (if applicable)		<input type="text"/>	<input type="text"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.12A.1</b>	Primary Task:	<b>Roof Ladder Deployment</b>	
Objective(s) :	5.3.12, 5.3.12(A)(B), 5.3.6(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 50px; height: 20px;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears full protective clothing properly			
2	Carries ladder properly as directed			
3	Deploys hooks			
4	Ascends ground ladder			
5	* Uses leg lock or safety harness			
6	Hoists roof ladder (hooks out)			
7	* Positions and secures roof ladder			
8	Desends down the ladder safely			
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>		Total number tasks candidate must complete to pass <b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Fire Fighter I

Skill Sheet No. <b>5.3.12A.2</b> Primary Task: <b>Roof Ladder – Lower and Removal (two person)</b>			
Objective(s) : 5.3.12, 5.3.12(A)(B), 5.3.6(A)(B)		NFPA Standard: 1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet			
<b>Task</b>			
		1 <sup>st</sup>	2 <sup>nd</sup>
1	* Wears full protective equipment properly		
2	Uses leg lock or safety harness		
3	Tilts roof ladder on its closest beam		
4	* Communicates and lowers ladder to the #2 man on the ladder		
5	Disengages leg lock or safety harness		
6	* Communicates and both descend ladder safely		
7	Closes hooks		
8	Carries ladder properly as directed		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Chief Examiner at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.12B</b>	Primary Task:	<b>Ladder Climb with Tool</b>	
Objective(s) :	5.3.12, 5.3.12(A)(B), 5.3.11, 5.3.11(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears full protective equipment properly			
2	Checks ladder for appropriate angle			
3	Method – 1 Climbs with free hand sliding under the beam and tool hand on beam			
<b>OR</b>				
3	Method – 2 Climbs with free hand sliding under the beam and other hand holding tool			
4	* Reaches objective, sounds roof with tool before getting on roof (if applicable)			
5	Descends ladder safely			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.12C</b>	Primary Task: <b>Determining Roof Integrity</b>		
Objective(s) : 5.3.12, 5.3.12(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1 <sup>st</sup>	2 <sup>nd</sup>
1 * Wears full protective equipment properly			
2 Climbs ladder with tool properly			
3 * Sounds roof with tool from ladder before transfer			
4 Identifies sound (from hitting roof)			
5 Determines roof integrity (verbally)			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.12D.1</b>		Primary Task: <b>Roof Ventilation - Flat</b>	
Objective(s) : 5.3.12, 5.3.12(A)(B)		NFPA Standard: 1001	Candidate #
Performance Evaluation Sheet			
<b>Task</b>			
		1 <sup>st</sup>	2 <sup>nd</sup>
1	* Wears full protective equipment properly		
2	Climbs ladder with tool		
3	Sounds roof for integrity		
4	* Describes cutting 4' by 4' hole from the windward side		
5	* Describes removing roofing material from hole		
6	* Describes pushing ceiling in from windward side ( plaster hook, pike pole )		
7	Descends ladder safely		
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.12D.2</b>	Primary Task:	<b>Roof Ventilation – Pitched</b>	
Objective(s) :	5.3.12, 5.3.12(A)(B)	NFPA Standard:	1001	Candidate #
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears full protective equipment properly			
2	Climbs ladder with tool properly			
3	Sounds roof for integrity			
4	Opens roof from roof ladder (cutting a 4' by 4' from the windward side)			
5	* Stands on proper side of opening and removes roofing material			
6	* Pushes ceiling in from windward side (if applicable) with correct tool			
7	Descends ladder safely			
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.13A</b>	Primary Task:	<b>Expose Hidden Fire</b>	
Objective(s) :	5.3.13, 5.3.13(A)(B), 5.3.10, 5.3.10(A)(B)	NFPA Standard:	1001	Candidate #
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears full protective equipment properly			
2	Deploy proper tool and attack line			
3	Detects hidden fire			
4	Uses proper tool			
5	Opens up hidden fire correctly (verbalize)			
6	Removes burned materials / extinguishes fire			
7	Maintains fire scene integrity			
8	Fire cause evidence is preserved			
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>6</b>	

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.14A</b>	Primary Task:	<b>Salvage Cover Deployment (Two Person)</b>	
Objective(s) :	5.3.14, 5.3.14(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	Wears full protective equipment properly			
2	Stacks objects properly			
3	Covers objects properly with the balloon throw method			
4	Tucks corners / secures cover to local jurisdiction (procedures)			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.14B</b>	Primary Task:	<b>Construction and Use of Water Catchall</b>	
Objective(s) :	5.3.14, 5.3.14(A)(B)	NFPA Standard:	1001	Candidate #
Performance Evaluation Sheet				
<b>Task</b>				
1st    2nd				
**TWO PERSON**				
1	Wears appropriate equipment properly			
2	Opens the salvage cover			
3	Lays the salvage cover flat at the the disired location			
4	* Rolls the sides inward approximately 3 feet			
5	Lay the ends of the side rolls over at 90 degree angle to form the corners			
6	Rolls one end into a tight roll on top of the side roll and form a projected flap			
7	Lifts the edge roll			
8	Tucks the end roll to lock the corners			
9	* Rolls the other end in a like manner			
10	Locks the corners			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>7</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Fire Fighter I

Skill No.	<b>5.3.14C</b>	Primary Task:	<b>Construction and Use of Water Chute</b>	
Objective(s) :	5.3.14, 5.3.14(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
**TWO PERSON**				
1	* Wears appropriate equipment properly			
2	Selects materials to construct water chute			
3	* Constructs water chute			
4	Places water chute in proper position (verbally)			
* Critical task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>3</b>

**1/11/11**

Prevent or prohibit any unsafe acts.  
 Contact the Chief Examiner at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.14F</b>	Primary Task:	<b>Routing and Removal of Water and Debris (Vertical) – Upper Floors</b>	
Objective(s) :	5.3.14, 5.3.14(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 15px;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
<b>**VERTICAL**</b>				
1	Wears appropriate equipment properly			
2	Forces water toward scupper (if applicable) verbalize			
3	Removes drain cover (toilet, soil pipe) verbalize			
4	Secures drain guard (if applicable) verbalize			
5	Forces water down stairs case (water chute) verbalize			
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.14G</b>	Primary Task:	<b>Routing and Removal of Water (Horizontal)</b>	
Objective(s) :	5.3.14, 5.3.14(A)(B)	NFPA Standard:	1001	Candidate # <input style="width: 50px;" type="text"/>
Performance Evaluation Sheet				
<b>Task</b>				
<b>**HORIZONTAL**</b>				
			1st	2nd
1	Wears appropriate equipment properly			
2	Opens ceiling below water accumulation			
3	* Establishes a means of removal (water chute, catch basin)			
4	Describes how to open floors of water accumulation			
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.14H</b>	Primary Task: <b>Routing and Removal of Water and Debris (Below Grade)</b>		
Objective(s) : 5.3.14, 5.3.14(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
**BELOW GRADE**		1 <sup>st</sup>	2 <sup>nd</sup>
1	Wears appropriate equipment properly		
2	Sets up pump properly		
3	Secures strainer (if applicable)		
4	Starts pump		
5	Identifies operation of pump		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Fire Fighter I

Skill No.	<b>5.3.14J</b>	Primary Task:	<b>Closes up a Building</b>	
Objective(s) :	5.3.14, 5.3.14(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears appropriate equipment properly			
2	Selects method			
3	Applies materials to openings			
4	Seals openings			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Chief Examiner at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.14K</b> Primary Task: <b>Separate and Remove Charred Material</b>		
Objective(s) : 5.3.14, 5.3.14(A)(B), 5.3.13(A)(B)	NFPA Standard: 1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet		
<b>Task</b>		
	1 <sup>st</sup>	2 <sup>nd</sup>
1 * Wears full protective equipment properly		
2 * Identifies and protects "Area of Origin"		
3 Preserves evidence by guarding, tagging, or other safeguards		
4 Separates charred materials		
5 Removes charred materials to safe location		
* Critical Task    Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.14M</b>	<b>Primary Task: Stop Water Flow from Sprinkler</b>	
Objective(s) : 5.3.14, 5.3.14(B)	NFPA Standard: 1001	Candidate # <input type="text"/>
Performance Evaluation Sheet		
<b>Task</b>		
	1st	2nd
1 * Wears full protective equipment properly	<input type="text"/>	<input type="text"/>
2 Stops water flow from activated sprinkler head using wooden wedges or sprinkler wedge stopper	<input type="text"/>	<input type="text"/>
3 Identifies and closes main control valve	<input type="text"/>	<input type="text"/>
4 Identifies and opens main drain valve	<input type="text"/>	<input type="text"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>
		Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.15A</b>	Primary Task:	<b>Drafting (Static Source) 4 Person Team</b>	
Objective(s) :	5.3.15, 5.3.15(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 20px; vertical-align: middle;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Wears full protective equipment properly			
2	Checks the hard suction coupling (dirt, debris, worn gaskets)			
3	Removes pumper intake cap			
4	* Attaches strainer to hard suction hose male coupling			
5	Attaches rope to strainer			
6	Lowers hose and strainer into static source (portable tank)			
7	Attaches female coupling of hard section hose to pumper intake			
8	Secures strainer rope to pumper or other stationary object			
9	* Assures strainer and strainer-to-hose coupling are under water			
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.15B</b>	Primary Task: <b>Hydrant to Pumper Connection</b>		
Objective(s) : 5.3.15, 5.3.15(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1 <sup>st</sup>	2 <sup>nd</sup>
1 * Wears full protective equipment properly			
2 Removes pumper intake cap			
3 Attaches the appropriate female end of the soft suction hose to the pumper intake			
4 Removes the appropriate hydrant discharge cap and places the hydrant wrench on hydrant			
5 Inspects hydrant threads for damage & integrity. Inspects inside outlet for debris			
6 Attaches the appropriate female end of the soft suction hose to the hydrant			
7 * Slowly opens hydrant fully			
8 Reduces any leakage by tightening connections and assures soft suction has no kinks			
9 Adds chafing block at point where hose touches ground			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.15C.1</b>	Primary Task: <b>Hydrant Connection (Forward Lay)</b>		
Objective(s) : 5.3.15, 5.3.15(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	* Wears full protective equipment properly		
2	* Selects correct tools and appliances		
3	Wraps hydrant properly		
4	Tells apparatus driver to advance to the incident		
5	* Unwraps hose and connects properly to hydrant		
6	* Opens hydrant fully		
7	Opens gate slowly on command		
8	Closes hydrant completely		
9	Checks hydrant drainage		
10	Recaps hydrant		
11	Collects appliances and places them back on apparatus		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>8</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
COMMISSION ON FIRE PREVENTION AND CONTROL



## Firefighter I

Skill No.	<b>5.3.15C.2</b>	Primary Task:	<b>Hydrant Connection (Reverse Lay)</b>	
Objective(s) :	5.3.15, 5.3.15(A)(B)	NFPA Standard:	1001	Candidate # <span style="border: 1px solid black; display: inline-block; width: 40px; height: 15px;"></span>
Performance Evaluation Sheet				
<b>Task</b>				
			1 <sup>st</sup>	2 <sup>nd</sup>
1	* Wears full protective equipment properly			
2	* Selects and uses correct tools and appliances			
3	Connects supply line from hydrant to engine in-take properly			
4	Connects feeder line to engine discharge properly			
5	* Opens hydrant fully			
6	Opens gate on command			
7	Closes hydrant fully			
8	Checks hydrant drainage			
9	Recaps hydrant			
10	Collects appliances and places them back on apparatus			
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>7</b>

1/11/11

Prevent or prohibit any unsafe acts.  
Contact the Lead Evaluator at any time with any questions.  
Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.15D</b>	Primary Task: <b>Sprinkler/Standpipe (Siamese) Fire Department Connection (FDC)</b>
Objective(s) : 5.3.15, 5.3.15(A)(B)	NFPA Standard: 1001
Candidate # <input type="text"/>	
Performance Evaluation Sheet	
<b>Task</b>	
	1 <sup>st</sup> 2 <sup>nd</sup>
1 * Wears full protective equipment properly	<input type="text"/>
2 Removes adequate amount of hose to make connection	<input type="text"/>
3 Inspects FDC (siamese) clapper valve	<input type="text"/>
4 Connects male end of feeder line to FDC properly	<input type="text"/>
5 Completes connection to pump discharge on apparatus (if applicable)	<input type="text"/>
6 Informs pump operator that connection is completed and calls for water	<input type="text"/>
* Critical Task      Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>
Total number tasks candidate must complete to pass <b>4</b>	

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.15E</b>	<b>Primary Task:</b>	<b>Standpipe Operation</b>	
Objective(s) : 5.3.15, 5.3.15(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	* Dons PPE and SCBA properly		
2	Uses appropriate carry, carries sufficient fire hose to one level below the level of the fire		
3	Removes cap and checks for foreign material in discharge		
4	* Attaches the hose to the standpipe connection one level below the fire		
5	Flakes out hose up the stairway above the fire floor, if possible		
6	* Slowly charges the hoseline by opening the standpipe valve		
7	* Bleeds the air out of the hoseline and checks pattern		
8	Advances to the fire		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.16A</b>	Primary Task: <b>Extinguish Class A Fires</b>		
Objective(s) : 5.3.16, 5.3.16(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	Wears appropriate protective clothing properly		
2	* Selects proper extinguisher for Class A fire		
3	Uses extinguisher selected in step 2 to extinguish Class A fire		
4	Operates extinguisher properly (PASS)		
5	Applies agent to extinguish Class A fire properly		
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	
Total number tasks candidate must complete to pass			<b>4</b>

**1/11/11**

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL SHEET, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.3.16B</b>	Primary Task:	<b>Extinguish Class B Fires</b>	
Objective(s) :	5.3.16, 5.3.16(A)(B)	NFPA Standard:	1001	Candidate # <input style="width: 50px;" type="text"/>
Performance Evaluation Sheet				
<b>Task</b>				
			1 <sup>st</sup>	2 <sup>nd</sup>
1	Wears appropriate equipment properly			<input style="width: 40px; height: 25px;" type="text"/>
2	* Selects proper extinguisher for Class B fire			<input style="width: 40px; height: 25px;" type="text"/>
3	Uses extinguisher selected in step 2 to extinguish Class B fire			<input style="width: 40px; height: 25px;" type="text"/>
4	Operates extinguisher properly (PASS)			<input style="width: 40px; height: 25px;" type="text"/>
5	Properly applies extinguishing agent			<input style="width: 40px; height: 25px;" type="text"/>
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.16C</b>	Primary Task: <b>Extinguish Class C Fires</b>		
Objective(s) : 5.3.16, 5.3.16(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1 Wears appropriate equipment properly			
2 * Selects proper extinguisher for Class C fires			
3 * De-Energizes electrical equipment			
4 Uses extinguisher selected in step 2 to extinguish Class C fires			
5 Operates extinguisher properly (PASS)			
6 Properly applies extinguishing agent			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Fire Fighter I

Skill Sheet No. <b>5.3.17A</b>	Primary Task: <b>Safety Procedures for Lighting Equipment</b>		
Objective(s) : 5.3.17, 5.3.17(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	Describes and identifies inverter (if applicable)		
	or		
	Describes and identifies generator (if applicable)		
2	* Checks overhaul condition of tools, cords, plugs, and connectors		
3	* Connects all lighting equipment in proper sequence		
	a) Starts up generator, brings up to speed		
	b) Plugs in load		
4	Takes safety precautions to avoid burns		
5	Re-sets (GFI) Ground Fault Interrupter (if applicable)		
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	
Total number tasks candidate must complete to pass			<b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Chief Examiner at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.3.18A</b>	Primary Task: <b>Control Utility Services</b>		
Objective(s) : 5.3.18, 5.3.18(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1 * Wears appropriate equipment properly			
2 Locates main electrical breaker and operates main breaker to cut power			
3 Identifies type of gas service and locates gas meter and shut off same			
4 Locates main water shut-off and operates appropriate valve to stop water flow			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.19A</b>	Primary Task: <b>Donning Ground Cover PPE</b>		
Objective(s) : 5.3.19, 5.3.19(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1 <sup>st</sup>	2 <sup>nd</sup>
1 Wears appropriate shirt and pants (or jump suit)			
2 Helmet with chinstrap, headlamp, eye protection, hearing protection			
3 Gloves			
4 Boots and socks			
5 Equipment belt with fire shelter, canteen			
6 Neck shroud			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.19B</b>	Primary Task: <b>Fill, Use and Maintain a Backpack Pump</b>		
Objective(s) : 5.3.19, 5.3.19(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1 Assembles backpack pump properly			
2 Maintains proper footing and stance			
3 Maintains proper body position; carrying and lifting			
4 Fills backpack pump with clean or strained water			
5 Demonstrates clearing a clogged nozzle			
6 Demonstrates cleaning a quick connect, if dirty			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No.	<b>5.3.19C</b>	Primary Task:	<b>Use of Tools and Appliances for Simple Ground Cover Hose Lay</b>	
Objective(s) :	5.3.19, 5.3.19(A)(B)	NFPA Standard:	1001	Candidate # <input type="text"/>
Performance Evaluation Sheet				
<b>Task</b>				
			1 <sup>st</sup>	2 <sup>nd</sup>
1	Wears appropriate equipment properly		<input type="text"/>	<input type="text"/>
2	Identifies commonly used fittings and hose		<input type="text"/>	<input type="text"/>
3	Demonstrates a simple hose lay		<input type="text"/>	<input type="text"/>
4	Extends charged hose lay by properly clamping, crimping, disconnecting, inserting, and recoupling hose		<input type="text"/>	<input type="text"/>
5	Sets nozzle setting appropriately for the situation		<input type="text"/>	<input type="text"/>
6	Applies water properly		<input type="text"/>	<input type="text"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.3.19D</b>	Primary Task: <b>Use of Hand Tools while Building a Fire Control Line</b>	
Objective(s) : 5.3.19, 5.3.19(A)(B)	NFPA Standard: 1001	Candidate # <input style="width: 50px;" type="text"/>
Performance Evaluation Sheet		
<b>Task</b>		
	1st	2nd
1 * Wears appropriate equipment properly	<input type="text"/>	<input type="text"/>
2 * Selects the proper tool for the job	<input type="text"/>	<input type="text"/>
3 Inspects the tool before use	<input type="text"/>	<input type="text"/>
4 Determines if the tool may be used safely	<input type="text"/>	<input type="text"/>
5 * Digs suppression line based on type of fuels and terrain	<input type="text"/>	<input type="text"/>
6 Identifies the need for "Hot" spotting	<input type="text"/>	<input type="text"/>
7 Throws dirt	<input type="text"/>	<input type="text"/>
8 Cools line	<input type="text"/>	<input type="text"/>
9 Insulates fuel	<input type="text"/>	<input type="text"/>
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>
		Total number tasks candidate must complete to pass <b>6</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.5.3A</b>	Primary Task:	<b>Cleaning, Maintaining &amp; Inspecting Department Ladders</b>		
Objective(s) :	5.5.1, 5.5.1(A)(B)	NFPA Standard:	1001	Candidate #	
Performance Evaluation Sheet					
<b>Task</b>					
				1st	2nd
1	Washes and dries per manufacturer's specifications				
2	* Checks all heat sensors and their dates				
3	Checks rungs, bolts and rivets				
4	* Checks welds and beams for cracks				
5	Checks all ladder hardware and condition of halyard				
6	Lubricates properly per manufacturer's specifications (verbally)				
7	* Marks and documents defects (verbally)				
* Critical Task	Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No. <b>5.5.3C</b>	Primary Task: <b>SCBA Maintenance and Use</b>		
Objective(s) : 5.5.1, 5.5.1(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	Performs inspection		
2	* Checks cylinder gauge (at least 90% full)		
3	Compares shoulder gauge readings to cylinder gauge readings (within 100lbs.)		
4	Checks physical appearance		
5	Checks straps		
6	Checks mask		
7	Cleans / Sanitizes mask		
8	Exchanges cylinder (if needed)		
9	Documents results		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>7</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Fire Fighter I

Skill Sheet No. <b>5.5.3D</b>	Primary Task: <b>Salvage Cover Inspection &amp; Maintenance</b>		
Objective(s) : 5.5.1, 5.5.1(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	Washes and cleans cover properly		
2	Dries properly to reduce mildew		
3	Examines for damage (passing salvage cover over their head looking for holes)		
4	Marks any holes found with chalk		
5	Depending on the material, holes may be repaired by duck or mastic tape, iron-on patches		
6	Folds or rolls cover properly to local jurisdiction		
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>4</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Chief Examiner at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.5.3E</b>	Primary Task:	<b>Rope Maintenance</b>	
Objective(s) :	5.5.1, 5.5.1(A)(B)	NFPA Standard:	1001	Candidate # <input style="width: 50px;" type="text"/>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	* Inspects rope			
2	Bundles / coils / bags rope			
3	Stores rope properly			
4	Documents results			
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.5.4A</b>	Primary Task:	<b>Hose Storage</b>	
Objective(s) :	5.5.2, 5.5.2(A)(B)	NFPA Standard:	1001	Candidate # <input style="width: 50px;" type="text"/>
Performance Evaluation Sheet				
<b>Task</b>				
			1st	2nd
1	Rolls hose properly as directed			
2	Unrolls hose properly as directed			
3	Couples hose properly			
4	Loads hose on hose storage rack			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass	<b>3</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill No.	<b>5.5.4B</b>	Primary Task:	<b>Hose Rolls</b>
Objective(s) :	5.5.2, 5.5.2(A)(B)	NFPA Standard:	1001
		Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1st	2nd
1	Rolls hose properly by using two of the following methods:		
	<ul style="list-style-type: none"> <li>• Straight roll</li> <li>• Donut roll</li> <li>• Twin donut roll</li> <li>• Self-Locking twin donut roll</li> </ul>		
2	Unrolls hose properly		
3	* Couples, Uncouples hose properly (foot tilt, knee press method if applicable)		
4	Loads hose into hose bed by one of the following methods :		
	<ul style="list-style-type: none"> <li>• 1 ¾" – Preconnected Flat Load, Triple Layer Load, Minuteman Load</li> <li>• 2 ½" – Accordion Load, Horseshoe Load, Flat Load</li> </ul>		
* Critical Task		Failure of this task mandates failure on the entire objective	
		Safety is <b>PARAMOUNT</b>	
		Total number tasks candidate must complete to pass	
		<b>3</b>	

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.5.4C</b>	Primary Task: <b>Cleaning / Maintaining / Inspecting Hose</b>		
Objective(s) : 5.5.2, 5.5.2(A)(B)	NFPA Standard: 1001	Candidate #	
Performance Evaluation Sheet			
<b>Task</b>			
		1 <sup>st</sup>	2 <sup>nd</sup>
1	Brushes off dust and dirt		
2	Uses scrub brush and water		
3	Rinses hose with clear water		
4	Identifies and applies drying procedures for hose (hose tower or hose dryer)		
5	* Inspects hose for abrasions and cuts in outer jacket		
6	Rolls hose (straight roll) and places on storage rack		
7	Documents results		
* Critical Task      Failure of this task mandates failure on the entire objective		Safety is <b>PARAMOUNT</b>	Total number tasks candidate must complete to pass <b>5</b>

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*



State of Connecticut  
**COMMISSION ON FIRE PREVENTION AND CONTROL**



# Firefighter I

Skill Sheet No. <b>5.5.4D</b> Primary Task: <b>Cleaning, Maintaining &amp; Inspecting Hose Couplings</b>	
Objective(s) : 5.5.2, 5.5.2(A)(B)	NFPA Standard: 1001
Candidate # <span style="border: 1px solid black; display: inline-block; width: 50px; height: 20px;"></span>	
Performance Evaluation Sheet	
<b>Task</b>	
	1st      2nd
1 Brushes male threads with wire brush	
2 Removes gasket and washes swivel	
3 Brushes dust and dirt from female threads	
4 Checks gasket for deterioration	
5 Replaces gasket properly	
6 * Inspects hose and coupling for physical damage	
7 Documents results	
* Critical Task      Failure of this task mandates failure on the entire objective	Safety is <b>PARAMOUNT</b>
Total number tasks candidate must complete to pass <b>5</b>	

1/11/11

Prevent or prohibit any unsafe acts.  
 Contact the Lead Evaluator at any time with any questions.  
 Remember, you are an evaluator, not a trainer...

*IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE*