

**Connecticut Department of Public Health HIV Surveillance Program
Stamford HIV Infection Cases by Year of Diagnosis, Sex, Race, and Risk
(2002 - December 31, 2010)**

Diagnosis Year	Total	Sex		Race/Ethnicity				Risk				
		Male	Female	White	Black	Hispanic	Other	IDU	MSM	Hetero	Pedi	Oth/Unk
	Number	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total	% of Total
2002	33	72.7	27.3	30.3	30.3	36.4	3.0	36.4	21.2	24.2	--	18.2
2003	27	74.1	25.9	22.2	44.4	29.6	3.7	33.3	22.2	14.8	--	29.6
2004	20	75.0	25.0	20.0	45.0	35.0	--	30.0	20.0	20.0	--	30.0
2005	20	75.0	25.0	25.0	35.0	40.0	--	25.0	20.0	10.0	5.0	40.0
2006	29	65.5	34.5	31.0	31.0	37.9	--	31.0	6.9	6.9	--	55.2
2007	19	68.4	31.6	21.1	31.6	47.4	--	26.3	15.8	--	--	57.9
2008	22	77.3	22.7	13.6	31.8	54.5	--	--	27.3	13.6	--	59.1
2009	20	65.0	35.0	25.0	50.0	25.0	--	--	40.0	30.0	--	30.0
2010	14	57.1	42.9	21.4	50.0	28.6	--	--	14.3	35.7	--	50.0
Total	204	70.6	29.4	24.0	37.7	37.3	1.0	22.5	20.6	16.7	0.5	39.7

***This table presents HIV Infection cases using the year the person was first diagnosed. The term HIV Infection is used to refer to three categories of diagnoses collectively:
(1) persons with a diagnosis of HIV infection (not AIDS)
(2) a diagnosis of HIV infection and a later diagnosis of AIDS
(3) concurrent diagnoses of HIV and AIDS.***