

**Connecticut Department of Public Health HIV/AIDS Surveillance Program  
 MALE HIV/AIDS Cases by Year of Diagnosis, Race, Risk/Mode of Transmission  
 and Age at Diagnosis in Percent of Total for the Category  
 2002 - 2007 Data as of December 31, 2008**

Diagnosis Year	Total		Race/Ethnicity								Risk/Mode of Transmission										
	White		Black		Hispanic		Other		IDU		MSM		MSM/IDU		Hetero		Pedi		Oth/Unk		
	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	
<b>2002</b>	536	219	40.9	124	23.1	190	35.4	3	0.6	214	39.9	146	27.2	9	1.7	69	12.9	2	0.4	96	17.9
<b>2003</b>	487	196	40.2	120	24.6	167	34.3	4	0.8	206	42.3	144	29.6	6	1.2	38	7.8	2	0.4	91	18.7
<b>2004</b>	462	175	37.9	132	28.6	147	31.8	8	1.7	129	27.9	165	35.7	5	1.1	50	10.8	2	0.4	111	24.0
<b>2005</b>	326	120	36.8	92	28.2	111	34.0	3	0.9	85	26.1	121	37.1	8	2.5	41	12.6	5	1.5	66	20.2
<b>2006</b>	341	129	37.8	96	28.2	111	32.6	5	1.5	66	19.4	113	33.1	7	2.1	30	8.8	1	0.3	124	36.4
<b>2007</b>	337	121	35.9	99	29.4	112	33.2	5	1.5	62	18.4	101	30.0	6	1.8	23	6.8	4	1.2	141	41.8
<b>Total</b>	2,489	960	38.6	663	26.6	838	33.7	28	1.1	762	30.6	790	31.7	41	1.6	251	10.1	16	0.6	629	25.3

***This table presents HIV/AIDS cases using the year the person was first diagnosed with HIV/AIDS. The term HIV/AIDS is used to refer to three categories of diagnoses collectively:***

- (1) persons with a diagnosis of HIV infection (not AIDS)***
- (2) a diagnosis of HIV infection and a later diagnosis of AIDS***
- (3) concurrent diagnoses of HIV and AIDS.***

***Adult HIV became reportable in Connecticut in 2002***

**Connecticut Department of Public Health HIV/AIDS Surveillance Program  
 MALE HIV/AIDS Cases by Year of Diagnosis, Race, Risk/Mode of Transmission  
 and Age at Diagnosis in Percent of Total for the Category  
 2002 - 2007 Data as of December 31, 2008**

	Age at Diagnosis											
	0-12		13-19		20-29		30-39		40-49		50+	
	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total
<b>Diagnosis Year</b>												
<b>2002</b>	2	0.4	1	0.2	75	14.0	162	30.2	205	38.2	91	17.0
<b>2003</b>	2	0.4	2	0.4	57	11.7	141	29.0	173	35.5	112	23.0
<b>2004</b>	--	--	4	0.9	77	16.7	117	25.3	180	39.0	84	18.2
<b>2005</b>	4	1.2	4	1.2	76	23.3	97	29.8	90	27.6	55	16.9
<b>2006</b>	--	--	6	1.8	69	20.2	86	25.2	113	33.1	67	19.6
<b>2007</b>	3	0.9	9	2.7	67	19.9	87	25.8	92	27.3	79	23.4
<b>Total</b>	11	0.4	26	1.0	421	16.9	690	27.7	853	34.3	488	19.6

***This table presents HIV/AIDS cases using the year the person was first diagnosed with HIV/AIDS. The term HIV/AIDS is used to refer to three categories of diagnoses collectively:***

- (1) persons with a diagnosis of HIV infection (not AIDS)***
- (2) a diagnosis of HIV infection and a later diagnosis of AIDS***
- (3) concurrent diagnoses of HIV and AIDS.***

***Adult HIV became reportable in Connecticut in 2002***