

**Connecticut Department of Public Health HIV/AIDS Surveillance Program  
HIV/AIDS Cases by Year of Diagnosis, Race, Risk/Mode of Transmission  
and Age at Diagnosis in Percent of Total for the Category  
2002 - 2007 Data as of December 31, 2008**

	Total	Sex				Race/Ethnicity							
		Male		Female		White		Black		Hispanic		Other	
		N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total
<b>Diagnosis Year</b>													
<b>2002</b>	859	536	62.4	323	37.6	317	36.9	229	26.7	307	35.7	6	0.7
<b>2003</b>	745	487	65.4	258	34.6	266	35.7	209	28.1	266	35.7	4	0.5
<b>2004</b>	687	462	67.2	225	32.8	232	33.8	206	30.0	239	34.8	10	1.5
<b>2005</b>	501	326	65.1	175	34.9	167	33.3	155	30.9	176	35.1	3	0.6
<b>2006</b>	496	341	68.8	155	31.3	165	33.3	162	32.7	163	32.9	6	1.2
<b>2007</b>	494	337	68.2	157	31.8	158	32.0	163	33.0	165	33.4	8	1.6
<b>Total</b>	3,782	2489	65.8	1293	34.2	1305	34.5	1124	29.7	1316	34.8	37	1.0

***This table presents HIV/AIDS cases using the year the person was first diagnosed with HIV/AIDS. The term HIV/AIDS is used to refer to three categories of diagnoses collectively:***

- (1) persons with a diagnosis of HIV infection (not AIDS)***
- (2) a diagnosis of HIV infection and a later diagnosis of AIDS***
- (3) concurrent diagnoses of HIV and AIDS.***

***Adult HIV became reportable in Connecticut in 2002***

**Connecticut Department of Public Health HIV/AIDS Surveillance Program  
HIV/AIDS Cases by Year of Diagnosis, Race, Risk/Mode of Transmission  
and Age at Diagnosis in Percent of Total for the Category  
2002 - 2007 Data as of December 31, 2008**

	Risk/Mode of Transmission											
	IDU		MSM		MSM/IDU		Hetero		Pedi		Oth/Unk	
	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total
<b>Diagnosis Year</b>												
<b>2002</b>	336	39.1	146	17.0	9	1.0	198	23.1	2	0.2	168	19.6
<b>2003</b>	299	40.1	144	19.3	6	0.8	162	21.7	2	0.3	132	17.7
<b>2004</b>	201	29.3	165	24.0	5	0.7	140	20.4	4	0.6	172	25.0
<b>2005</b>	128	25.5	121	24.2	8	1.6	120	24.0	8	1.6	116	23.2
<b>2006</b>	94	19.0	113	22.8	7	1.4	83	16.7	1	0.2	198	39.9
<b>2007</b>	89	18.0	101	20.4	6	1.2	67	13.6	4	0.8	227	46.0
<b>Total</b>	1147	30.3	790	20.9	41	1.1	770	20.4	21	0.6	1013	26.8

***This table presents HIV/AIDS cases using the year the person was first diagnosed with HIV/AIDS. The term HIV/AIDS is used to refer to three categories of diagnoses collectively:***

- (1) persons with a diagnosis of HIV infection (not AIDS)***
- (2) a diagnosis of HIV infection and a later diagnosis of AIDS***
- (3) concurrent diagnoses of HIV and AIDS.***

***Adult HIV became reportable in Connecticut in 2002***

**Connecticut Department of Public Health HIV/AIDS Surveillance Program  
HIV/AIDS Cases by Year of Diagnosis, Race, Risk/Mode of Transmission  
and Age at Diagnosis in Percent of Total for the Category  
2002 - 2007 Data as of December 31, 2008**

	Age at Diagnosis											
	0-12		13-19		20-29		30-39		40-49		50+	
	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total
Diagnosis Year												
<b>2002</b>	2	0.2	5	0.6	125	14.6	278	32.4	324	37.7	125	14.6
<b>2003</b>	2	0.3	4	0.5	101	13.6	215	28.9	266	35.7	157	21.1
<b>2004</b>	1	0.1	6	0.9	107	15.6	186	27.1	263	38.3	124	18.0
<b>2005</b>	6	1.2	7	1.4	113	22.6	142	28.3	151	30.1	82	16.4
<b>2006</b>	--	--	8	1.6	98	19.8	122	24.6	166	33.5	102	20.6
<b>2007</b>	3	0.6	14	2.8	103	20.9	126	25.5	144	29.1	104	21.1
<b>Total</b>	14	0.4	44	1.2	647	17.1	1069	28.3	1314	34.7	694	18.4

***This table presents HIV/AIDS cases using the year the person was first diagnosed with HIV/AIDS. The term HIV/AIDS is used to refer to three categories of diagnoses collectively:***

- (1) persons with a diagnosis of HIV infection (not AIDS)***
- (2) a diagnosis of HIV infection and a later diagnosis of AIDS***
- (3) concurrent diagnoses of HIV and AIDS.***

***Adult HIV became reportable in Connecticut in 2002***