

Number and percentage of persons with HIV viral suppression^e among persons who were >=13 years old on 12/31/2014, resided in Connecticut (based on most recent residence), diagnosed with HIV infection through 12/31/2014 and living with HIV on 12/31/2015, by selected characteristics - based on HIV surveillance data reported through 12/23/2016.

Characteristics	No. of persons diagnosed with HIV infection through 12/31/2014 and living with HIV on 12/31/2015 (overall population) ^f	No. of persons with >=1 VL test between 01/01/2015 through 12/31/2015	No. of persons with HIV viral suppression	% of persons with HIV viral suppression among the overall population	% of persons with HIV viral suppression among persons with >=1 VL test between 01/01/2015 through 12/31/2015
Sex					
Male	6599	5083	4531	68.66	89.14
Female	3843	3078	2632	68.49	85.51
Age on 12/31/2014					
13-24	301	233	180	59.8	77.25
25-34	1016	775	633	62.3	81.68
35-44	1963	1481	1270	64.7	85.75
45-54	3679	2927	2576	70.02	88.01
55-64	2732	2160	1957	71.63	90.6
>=65	751	585	547	72.84	93.5
Race/ethnicity					
American Indian/Alaska Native	13	9	8	61.54	88.89
Asian ^a	89	59	53	59.55	89.83
Black/African American	3539	2798	2375	67.11	84.88
Hispanic/Latino	3554	2702	2347	66.04	86.86
Native Hawaiian/Other Pacific Islander	5	3	3	60	100
White	3124	2487	2290	73.3	92.08
Multiple races	118	103	87	73.73	84.47
Transmission category					
Male-to-male sexual contact (MSM)	2709	2178	1993	73.57	91.51
Injection drug use (IDU)	3177	2455	2125	66.89	86.56
MSM and IDU	218	177	159	72.94	89.83
Heterosexual contact	2976	2466	2104	70.7	85.32
NIR/NRR (unknown)	1164	741	676	58.08	91.23
Other ^d	198	144	106	53.54	73.61
MSM					
American Indian/Alaska Native	5	4	4	80	100
Asian ^a	37	29	28	75.68	96.55
Black/African American	567	455	390	68.78	85.71
Hispanic/Latino	662	519	475	71.75	91.52
Native Hawaiian/Other Pacific Islander	5	3	3	60	100
White	1406	1143	1070	76.1	93.61
Multiple races	27	25	23	85.19	92
Subtotal	2709	2178	1993	73.57	91.51
Injection drug use (male)					
American Indian/Alaska Native	1	0	0	0	.
Asian ^a	6	3	3	50	100
Black/African American	692	549	472	68.21	85.97
Hispanic/Latino	885	621	535	60.45	86.15
White	392	309	282	71.94	91.26
Multiple races	18	17	15	83.33	88.24
Subtotal	1994	1499	1307	65.55	87.19
Injection drug use (female)					
American Indian/Alaska Native	1	1	0	0	0
Asian ^a	2	1	1	50	100
Black/African American	401	328	277	69.08	84.45
Hispanic/Latino	443	352	301	67.95	85.51
White	313	253	222	70.93	87.75
Multiple races	23	21	17	73.91	80.95
Subtotal	1183	956	818	69.15	85.56
Heterosexual contact (male)					
American Indian/Alaska Native	1	1	1	100	100
Asian ^a	9	6	5	55.56	83.33
Black/African American	421	342	280	66.51	81.87
Hispanic/Latino	288	230	200	69.44	86.96
White	190	156	142	74.74	91.03
Multiple races	9	8	6	66.67	75
Subtotal	918	743	634	69.06	85.33
Heterosexual contact (female)					
American Indian/Alaska Native	3	1	1	33.33	100
Asian ^a	10	9	5	50	55.56
Black/African American	870	716	605	69.54	84.5
Hispanic/Latino	791	676	573	72.44	84.76
White	361	302	270	74.79	89.4
Multiple races	23	19	16	69.57	84.21
Subtotal	2058	1723	1470	71.43	85.32
Total	10442	8161	7163	68.6	87.77

^aIncludes Asian/Pacific Islander legacy cases.

^bIncludes hemophilia, blood transfusion, and persons (171 cases) who were exposed perinatally but were aged >13 at most recent year.

^cPersons who have most recent viral load test result <200 copies/ml between 01/01/2015 through 12/31/2015 are considered as HIV viral suppression.

^dThe overall population is overestimated because cases are only followed up for 11 months after 12/31/2015. CDC suggests that every case should be followed up at least 18 months to collect death certificate information.