




Map 1-1

**District\* or Department**


- 1 Weston-Westport
- 2 Torrington Area
- 3 Naugatuck Valley
- 4 Northeast
- 5 East Shore
- 6 North Central
- 7 Chesprocott
- 8 Farmington Valley
- 9 Quinnipiack Valley
- 10 Bristol-Burlington
- 11 Stafford
- 12 Pomperaug
- 13 Uncas Regional
- 14 Ledge Light
- 15 Newtown
- 16 West Hartford-Bloomfield
- 17 Rocky Hill-Wethersfield
- 18 Eastern Highlands
- F Individual Towns with Full-time Health Departments
- Individual Towns with Part-time Health Departments

\* Numbers are assigned in order of date of formation of health district



**Local Health Districts and Departments,  
July 1, 1997**

Map 3-1





### Connecticut Population Distribution - 1990 Census

One Dot = 250 Persons

Note: Dots are randomly distributed within or at a town boundary.  
Source: U.S. Census Bureau, 1990



Map 3-2



### 1995 Population Age 65+



Note: Population represents data interpolated to 4/95  
Source: OPM Population Projections, 9/95

Map 3-3



Source: Equifax National Decision Systems - WEFA Group, 1996 Update  
Connecticut Zipcodes

Map 3-4



### Age-Adjusted Mortality Rates for All Causes of Death 1989 - 1991



☆ The town age-adjusted mortality rate is significantly higher than the state rate of 631.1 ( $p < 0.05$ ), using the 1970 Standard Million Reference Population.

\* Rates are not calculated for less than 25 events.

Note: Rates are expressed as deaths per 100,000, adjusted to the U.S. 1970 Standard Million Population.

Source: DPH, OPPE, 1998

Map 3-5




\* Rates are not calculated for less than 20 events.

Note: Rates are expressed as deaths per 100,000, adjusted to the U.S. 1970 Standard Million Population.

Source: DPH, OPPE, 1997

Map 3-6

Town Rank (# of towns)	
Top third	(12)
Middle third	(13)
Bottom third	(12)
Not calculated*	(132)





☆ The town infant mortality rate is significantly higher than state rate of 7.6/1,000 births ( $p < 0.0125$ ).

\* Rates are not calculated for less than 5 events.

Source: DPH, OPPE, 1997

Map 3-7




**Low Birthweight  
All Races 1994 - 1995**

☆ The town low birthweight percentage is significantly higher than the state percentage of 7.0 ( $p < 0.01$ ).  
\* Percentages are not calculated when the number of events is less than 5.  
Source: DPH, OPPE, 1997

Map 3-8

Town Rank	
(# of towns)	
Top third	(42)
Middle third	(42)
Bottom third	(41)
Not calculated*	(44)





**Late or No Prenatal Care  
All Races 1994 - 1995**

☆ The town late or no prenatal care percentage is significantly higher than the state percentage of 11.9 (p<0.01).

\* Percentages are not calculated when the number of events is less than 5.

Source: DPH, OPPE, 1997




### Non-Adequate Prenatal Care All Races 1994 - 1995

☆ The town non-adequate prenatal care percentage is significantly higher than the state percentage of 16.1 (p<0.01).

\* Percentages are not calculated when the number of events is less than 5.

Source: DPH, OPPE, 1997

Map 3-10




**Teenage Mothers with Repeated Births 1994 - 1995**

☆ The town percentage of teenage mothers with repeated births is significantly higher than the state percentage of 20.8 ( $p < 0.01$ ).


\* Percentages are not calculated when the number of events is less than 5.

Source: DPH, OPPE, 1997

Map 3-11




☆ Significantly elevated ( $p < 0.05$ ) SIR based on statewide rates  
Source: DPH, OPPE, Tumor Registry, 1997





☆ Significantly elevated ( $p < 0.05$ ) SIR based on statewide rates  
Source: DPH, OPPE, Tumor Registry, 1997

Map 3-13




**Lyme Disease Rates  
by County, 1996**

Note: The number of cases in each county is listed in the parenthesis.  
Source: DPH, BCH, Epidemiology Division, 1997



**Ambient Air Pollution  
Attainment or Non-Attainment of Standards for  
Carbon Monoxide (CO) and Ground Level Ozone,  
1996**



Map 3-15



**1997 Towns with a Superfund or National  
Hazardous Waste Priority List Site**


Source: U.S. Public Health Service, Agency for Toxic Substance & Disease Registry,  
Division of Environmental Epidemiology & Occupational Health

Map 4-1



**Age & Sex Adjusted Hospitalization Rates  
by Town or Town Group,  
FFY 1995**


Note: The hospitalization rate is calculated per 1,000 population.  
Source: OHCA, FFY 1995 Connecticut Acute Care Hospital Discharge Data.



**Private Acute Care Hospitals  
by Uniform Service Region,  
1995**

Source: DPH, OPPE, 1997

Map 4-3





Note: The dots are randomly distributed within or at the town boundary and do not represent a long term care facility.

Source: DPH, OPPE, July 1997



Map 4-5




\* The indicated areas or populations typically do not encompass an entire town.  
Source: USDHHS, HRSA, BPHC, BHCDANet Federal database, 5-97



Map 4-7

**Designation Type\***  
(# of towns)

■ Both Types	(1)
■ Area	(5)
■ Population	(22)



\* The indicated areas or populations typically do not encompass an entire town.  
Source: Federal Register 5-30-97